

Dishwasher accessories for a systematic approach to ensuring a perfect workflow in commercial kitchens



Upper and lower baskets for PG 805x model series



O 891 upper basket

- With E 810
- Plastic-coated wire basket
- 2 hinged cup racks for 20 cups
- 2-stage height adjustment by 50 mm
- Integrated spray arm, docking to rear
- Max. vertical clearance 200 mm
- H 190, W 518, D 486 mm

O 892 upper basket

- With E 812 and 2 glass rails
- Plastic-coated wire basket
- Integrated spray arm, docking to rear
- Max. vertical clearance 200 mm
- H 190, W 518, D 486 mm

Supplied as standard with:
SPEED, SPEEDplus and HYGIENE



U 890 lower basket

- Plastic-coated wire basket
- For inserts or plastic baskets, 500 x 500 mm
- H 100, W 517, D 532 mm

U 881 lower basket

- Plastic-coated wire basket
- Fixed insert for 54 saucers
- For combination with E 809 top insert for 23 cups Ø 90 mm
- H 98.5 (188), W 529, D 515 mm

Supplied as standard with:
SPEED, SPEEDplus and HYGIENE

Article	Features	Mat. no.	Art. no.
O 891	Upper basket for cups/saucers, etc.	9548970	67.1891.01
O 892	Upper basket for glasses	9548990	67.1892.01
U 890	Lower basket for inserts	9549130	67.1890.01
U 881	Lower basket with fixed insert for saucers	4906620	67.1881.02

Basket carriers for PG 805x series



- O 899 upper basket carrier**
- Plastic-coated wire basket
 - Integrated spray arm, docking to rear
 - 2-stage height adjustment by 50 mm
 - • Max. vertical clearance 200 mm
 - H 190, W 518, D 486 mm



- O 885 upper basket carrier**
- Stainless steel
 - For 500 x 500 mm baskets
 - Max. vertical clearance 130 mm*
 - H 119, W 530, D 516 mm



- U 876 open-fronted carrier**
- Stainless steel
 - For 500 x 500 mm baskets and various inserts
 - Max. vertical clearance 230 mm*
 - H 50, W 535, D 500 mm

* With O 885 upper basket carrier



Sample load arrangement:
PG 8056 U AE with Stand1-80 AE conversion kit with O 885 and U 890 and U 502 and U 508 baskets

Article	Features	Mat. no.	Art. no.
O 899	Upper basket for inserts	9549040	67.1899.01
O 885	Upper basket for inserts	9548960	67.1885.01
U 876	Lower basket for inserts	9549160	67.1875.01

Inserts for upper and lower baskets for PG 805x model series



E 816 plate insert

- Plastic-coated wire basket
- For use in U 890 lower basket
- 2 positions possible


Load arrangement without cutlery holder

- For 19 plates, 250 mm Ø
- For 19 plates, 330 mm Ø

Load arrangement with cutlery holder

- For 16 plates, 250 mm Ø
- For 16 plates, 330 mm Ø

Supplied as standard with:
SPEED, SPEEDplus and HYGIENE



E 216 plate insert

- Plastic-coated wire basket
- For use in U 890 lower basket
- For 15 plates, 240 mm Ø
- Accommodates E 165 cutlery holder

Supplied as standard with: **SPEED**



E 810 plate insert

- Plastic-coated wire basket
- For use in O 891 upper basket
- 33 saucers or 17 dessert plates

Supplied as standard with:
SPEED, SPEEDplus and HYGIENE



E 888 plate insert

- Plastic-coated wire basket
- For use in U 890 lower basket
- For 18 plates, 300 mm Ø
- Rests spaced 30 mm apart
- Rest height 175 mm
- H 175, W 460, D 460 mm



E 809 lower basket top insert

- Plastic-coated wire basket
- Fits on top of U 881 lower basket
- For 23 cups, 90 mm Ø
- H 71, W 506, D 495



E 9 insert

- Plastic-coated wire basket
- For use in U 890 lower basket
- For pots and pans, bowls and dishes
- Rests spaced 45 mm apart
- Rest height 105 mm
- H 115, W 225, D 416 mm

Article	Features	Mat. no.	Art. no.
E 816	Plate insert for lower basket	9549190	67.5816.01
E 216	Plate insert for lower basket	3809080	67.5216.01
E 810	Plate insert for upper basket	9549010	67.5810.01
E 888	Plate insert for lower basket	5018690	67.5888.01
E 809	Top insert for lower basket	5018650	67.5809.01
E 9	Insert for large individual items	3808260	67.5009.01


Inserts for upper and lower baskets for PG 805x model series



E 165 cutlery holder


- Plastic holder
- For use in E 816
- 3 compartments, 70 x 64 mm
- H 110, W 70, D 218 mm

Supplied as standard with:
SPEED, SPEEDplus and HYGIENE



E 167 cutlery holder

- Plastic holder
- For use in U 506 plate basket
- 7 compartments
- H 106, W 440, D 50 mm



E 437 cutlery insert

- Stainless-steel container with carrying handle
- For use in O 885 open-fronted upper carriers and U 876 open-fronted lower carrier
- 18 compartments, 59 x 44 mm
- 2 compartments, 59 x 59 mm
- 16 compartments, 4 x 44 mm
- H 70, (128 with handle), W 211, D 436 mm



E 884 insert

- Plastic-coated wire basket
- For use in U 890 lower basket
- For 10 large trays or platters
- Rests spaced 32 mm apart
- Rest height 175 mm
- H 175, W 460, D 460 mm

Article	Features	Mat. no.	Art. no.
E 165	Cutlery holder, 3 compartments	3808830	67.5165.01
E 167	Cutlery holder, 7 compartments	9508730	67.6167.01
E 437	Cutlery holder, 36 compartments	4326640	67.5437.01
E 884	Insert for baking sheets, platters	5018680	67.5884.01

Inserts for upper and lower baskets for PG 805x model series



E 205 insert for glasses

- Plastic-coated wire basket
- For use in U 890 lower basket
- For 17 glasses, Ø 66 mm
- Rests spaced 220 mm apart
- Perforated plate to reduce impact of water jets
- H 221, W 243, D 494 mm




E 459 insert for glasses

- Stainless steel
- For use in U 876 lower basket
- For 12 glasses, Ø 70 mm
- Max. glass height 220 mm
- H 170, W 200, D 460 mm



E 815 insert for glasses

- Plastic-coated wire basket
- For use in U 890 lower basket
- For 10 wheat beer glasses
- Rests spaced 95 mm apart
- Rest height 240 mm
- H 252, W 220, D 513 mm




E 812 insert for glasses

- Plastic-coated wire basket
- For use in O 891 and O 892



E 166 perforated plate

- For use, e.g. in U 890 or U 876 lower baskets
- H 1, W 460, D 460 mm



E 10 perforated metal plate (left)

- Perforated metal plate, plastic-coated
- For use in U 890, U 880, U 876
- Perforation size 17 x 17 mm
- W 495, D 222 mm

E 11 perforated metal plate (right)

- Perforated metal plate, plastic-coated
- For use in O 899
- Perforation size 17 x 17 mm
- W 460, D 222 mm

Article	Features	Mat. no.	Art. no.
E 205	Insert for glasses	3808980	67.5205.01
E 459	Insert for glasses	4326630	67.5459.01
E 815	Insert for glasses	5018670	67.5815.01
E 812	Insert for glasses	9742240	67.5812.01
E 166	Perforated plate	3808850	67.5166.01
E 10	Perforated plate	9627360	67.5009.10
E 11	Perforated plate	9752140	67.5009.15

Baskets for freshwater or tank dishwashers, Basket size 500 x 500 mm



U 502 plate basket

- Plastic basket
- 6 or 9 rows
- Rests spaced 70 mm or 45 mm apart
- H 109, W 500, D 500 mm



U 503 cutlery basket

- Plastic basket
- Suitable for ice-cream bowls
- Narrow-mesh base
- H 109, W 500, D 500 mm



U 504 cutlery basket

- Plastic-coated wire basket
- Plastic cutlery holder
- 9 compartments
- Compartment size 106 x 106 mm
- H 145, W 500, D 500 mm



U 505 multi-purpose basket

- Plastic basket
- Interior height 110-160 mm
- Coarse-mesh base
- 195, W 500, D 500 mm



U 506 plate basket

- Plastic-coated wire basket
- 8 rows
- Rests spaced 54 mm apart
- Accommodates E 167 cutlery holder
- H 92, W 500, D 500 mm



U 507 bistro basket

- Plastic-coated wire basket
- Spacing (tall) 92/113/98 mm
- Spacing (low) 52/49/49 mm
- H 165, W 500, D 500 mm

Article	Features	Mat. no.	Art. no.
U 502	Plate basket	9508610	67.6502.01
U 503	Cutlery basket	9508660	67.6503.01
U 504	Cutlery basket	9508670	67.6504.01
U 505	Multi-purpose basket	9508680	67.6505.01
U 506	Plate basket	9508640	67.6506.01
U 507	Bistro basket	9508700	67.6507.01

Baskets for tank or fresh water dishwashers,

Basket size 500 x 500 mm



U 508 cup basket

- Plastic basket
- 4 rows
- For cups, 100 mm Ø
- H 104, W 500, D 500 mm



U 513 basket for trays

- Plastic basket, one side open
- 9 rows
- Rests spaced 45 mm apart
- H 109, W 500, D 500 mm

Not suitable for PG 8055 - PG 8059 dishwashers



U 520 glassware basket

- Plastic basket
- 6 x 6 compartments
- Compartment size 73 x 73 mm
- H 104, W 500, D 500 mm



U 524 glassware basket

- Plastic-coated wire basket
- 4 rows for glasses, Ø 100 mm
- H 184, W 500, D 500 mm



U 525 glassware basket

- Plastic-coated wire basket
- 5 rows for glasses, Ø 80 mm
- H 184, W 500, D 500 mm

Article	Features	Mat. no.	Art. no.
U 508	Basket for cups	9508650	67.6508.01
U 513	Basket for trays	9508710	67.6513.01
U 520	Glassware basket	9581370	67.6520.01
U 524	Glassware basket	7005390	67.6524.01
U 525	Glassware basket	7005370	67.6525.01

Basket size 530 x 500 mm (U 313/2)



- U 313/2 basket for trays**
- Plastic basket with pre-fitted skids
 - Insert for 10 trays fitted
530 x 275 mm and GN 1/1 trays
 - Rests spaced 24 mm apart
 - Rest height 160 mm
 - H 179, W 530, D 498 mm

Article	Features	Mat. no.	Art. no.
U 313/2	Basket for trays	9688930	67.6313.05

500 x 500 mm glassware basket sets for tank or freshwater dishwashers, Basket sets with shallow top frame




U 534 glassware basket

- Plastic basket
- 4 x 4 compartments
- Compartment size 113 x 113 mm




U 535 glassware basket

- Plastic basket
- 5 x 5 compartments
- Compartment size 90 x 90 mm




U 536 glassware basket

- Plastic basket
- 6 x 6 compartments
- Compartment size 73 x 73 mm



U 537 glassware basket

- Plastic basket
- 7 x 7 compartments
- Compartment size 63 x 63 mm



Glass heights for all basket sets with shallow top frame:

- Max. 73 mm without extenders and without top frame
- 110–140 mm with short extenders*
- 175–200 mm with long extenders*

Article	Features	Mat. no.	Art. no.
U 534	16 glasses, shallow top frame	6997120	67.6534.01
U 535	25 glasses, shallow top frame	6984150	67.6535.01
U 536	36 glasses, shallow top frame	6984090	67.6536.01
U 537	42 glasses, shallow top frame	6984200	67.6537.01

500 x 500 mm glassware basket sets for tank or freshwater dishwashers, Basket sets with deep top frame



U 544 glassware basket

- Plastic basket
- 4 x 4 compartments
- Compartment size 113 x 113 mm



U 545 glassware basket

- Plastic basket
- 5 x 5 compartments
- Compartment size 90 x 90 mm




U 546 glassware basket

- Plastic basket
- 6 x 6 compartments
- Compartment size 73 x 73 mm



U 547 glassware basket

- Plastic basket
- 7 x 7 compartments
- Compartment size 63 x 63 mm



Glass heights for all basket sets with deep top frame:

- Max. 73 mm without extenders and without top frame
- 140–175 mm with short extenders*
- 200–230 mm with long extenders*

*Depending on requirements, the basket can be fitted with securely fitting short or long spacers.

Article	Features	Mat. no.	Art. no.
U 544	16 glasses, deep top frame	6984190	67.6544.01
U 545	25 glasses, deep top frame	6984170	67.6545.01
U 546	36 glasses, deep top frame	6984130	67.6546.01
U 547	42 glasses, deep top frame	6984210	67.6547.01

Accessories for PG 805x series



ABL 50 spacer trim

- PG 805x series
- Allows height adjustment to 720 mm cabinet size
- Height 50 mm
- Stainless steel or white



SBU plinth panel

- PG 80 series of fresh water dishwashers
- Plinth fascia for non-continuous plinth fascias
- H 125, W 595, D 20 mm
- Height-adjustable by 25 mm (805-830 mm)
- Depth-adjustable by 34 mm (74-108 mm)



Plinth conversion kit Stand 2

- PG 805x series
- Non-continuous plinth fascia with 2 brackets
- H 140, W 598, D 127 mm
- Stainless steel or white



Article	Features	Mat. no.	Art. no.
ABL 50	Spacer trim, white	9378040	67.2114.02
ABL 50	Spacer trim, stainless steel	9378030	67.2114.01
SBU	Spacer trim, brown	9378050	67.2115.01
Stand2	Plinth fascia, white	9456070	67.2116.10
Stand2	Plinth fascia, stainless steel	9456060	67.2116.05

Accessories for PG 805x series



Conversion kit Stand1-80

- PG 8055 - PG 8059 series
- Plinth fascia with 2 brackets, lid and rear panel to convert standard unit into freestanding unit
- Stainless steel or white



DEF-80 lid

- PG 8055 - PG 8059 series
- H 15, W 600, D 600 mm
- Stainless steel or white

BKS-80

- Kit for fitting kitchen plinth fascia



ADB

- Cover panel for undercounter use (between dishwasher and worktop)



BBF-80

- Floor anchoring



VGF-900

- Extended machine feet
- Max. height without lid 900 mm
- Height adjustable -0/+80 to 900 mm

Article	Features	Mat. no.	Art. no.
Stand 1-80	Freestanding conversion kit, white	9688940	67.2116.04
Stand 1-80	Freestanding conversion kit, stainless steel	9688950	67.2116.03
DEF-80	Lid, white	9736640	67.2160.06
DEF-80	Lid, stainless steel	9715550	67.2160.05
BKS-80	Fitting kit	9715630	67.2115.05
ADB	Cover plate	9715590	67.2160.08
BBF-80	Floor anchoring	9715690	67.2115.08
VGF-900	Extended machine feet	9742270	67.5009.07

Accessories for PG 805x series and G 8066 tank dishwasher



UO 30-60/80 plinth

- Can be used with frontloading fresh water and tank dishwashers
- Open
- Can be bolted to machine
- Stainless steel
- H 300, W 600, D 600 mm

UO 52-60/80 plinth (not illustrated)

- Can be used with frontloading fresh water and tank dishwashers
- Open
- Can be bolted to machine
- Stainless steel
- H 520, W 600, D 600 mm



UG 30-60/80 plinth

- Can be used with frontloading fresh water and tank dishwashers
- Box plinth with open front
- Can be bolted to machine
- Stainless steel
- H 300, W 600, D 600 mm

UG 52-60/80 plinth (not illustrated)

- Can be used with frontloading fresh water and tank dishwashers
- Box plinth with open front
- Can be bolted to machine
- Stainless steel
- H 520, W 600, D 600 mm

Article	Features	Mat. no.	Art. no.
UO 30-60/80	Open plinth, H 30 cm	9688890	67.3761.03
UO 52-60/80	Open plinth, H 52 cm	9688900	67.3761.07
UG 30-60/80	Box plinth, H 30 cm	9688910	67.3761.04
UG 52-60/80	Box plinth, H 52 cm	9688920	67.3761.08

Accessories for tank dishwashers




DET-60/1 lid

- Stainless steel
- H 15, W 600, D 600 mm

For models G 8066 and
PG 8067 as freestanding units

Steam protection set (not illustrated)

- 3 formed sheets of stainless steel and fittings
- Protects worktop and adjacent cabinets against steam
- For use on G 8066



KTU 530

- Stainless-steel reinforcements
- Conversion kit for larger baskets, e.g. 530 x 530 mm, to replace standard basket carrier in PG 8172 dishwasher

Article	Features	Mat. no.	Art. no.
Filter	Filter combination set	7172490	67.2113.01
DET-60/1	Lid	6959590	67.2160.02
Steam protection set	Steam protection set	6651850	67.2112.01
KTU 530	Basket carrier	9508720	67.8530.04

Accessories

Dispenser models for commercial dishwashers



DOS G 60-80 dispenser module

- Peristaltic dispenser pump for liquid detergent
- 20-100 ml, adjustable via machine controls
- 333 mm siphon for 5 and 10 l canisters
- Conversion kit for 10-30 l canisters via Miele Service
- 'Container empty' indicator

DOS G 60/1-80 dispenser pump

- As DOS G 60-80, with 200 mm siphon for 5 l canisters

For PG 805x series and G 8066, PG 8172 dishwashers

Note:

When connecting a DOS G 60 or 60/1 dispenser module to a PG 8055 - PG 8059 series dishwasher, the adapter AD 60, Mat. no. 9778670, should be used (available via Service).

Article	Features	Mat. no.	Art. no.
DOS G 60-80	Dispenser module, 333 mm siphon	9662200	67.7470.15
DOS G 60/1-80	Dispenser module, 200 mm siphon	9662220	67.7470.17

Water softener / AquaSoft systems



PG 8597 AquaSoft System

- For continuous delivery of softened water, max. 40°dH
- Freestanding unit on castors, plastic casing
- Filled from top
- 2 containers, each with 4.5 l resin
- 1 container for 20 kg salt
- H 570, W 360, D 360 mm
- Weight (excl. salt) approx. 30 kg

Output:

- 19 l/min (continuous)
- Max. 30 l/min

Water consumption

- 19 l per reactivation cycle

Controls

- Demand-controlled twin-tank system
- Does not require connection to power supply

Water connection

- 1 x cold or hot water, max. 70°C, length 1.5 m, ¾" threaded union
- 1 x connection hose leading to dishwasher
- Min. 1 bar flow pressure on infeed side, max. 8 bar
- Flow pressure on dishwashers without softener min. 2.5 bar
- Flow pressure on dishwashers with softener min. 3.5 bar
- 2 x drain hoses for reactivation water and overflow, length 1.5 m; DN 8

Installation

- An odour trap and non-return valve must be supplied on site.



PG 8090 AquaSoft System

- For continuous delivery of softened water, max. 40°dH
- Freestanding unit on castors, plastic casing
- Filled from top
- 1 container with 4 l resin
- 1 container for 10 kg salt
- H 572, W 230, D 400 mm
- Weight (excl. salt) approx. 12 kg

Output:

- 15 l/min (continuous)
- Max. 20 l/min

Water consumption

- 55 l per reactivation cycle

Controls

- Timer-controlled single-tank system
- Electrical connection to be provided on site according to installation plan, 1N 230 V, 50 Hz

Water connection

- 1 x cold or hot water, max. 65°C, length 1.5 m, ¾" threaded union
- 1 x connection hose leading to dishwasher
- Min. 2 bar flow pressure on infeed side, max. 6 bar
- 2 x drain hoses for reactivation water and overflow; Length 1.5 m; DN 12

Installation

- An odour trap and non-return valve must be supplied on site.

Article	Features	Mat. no.	Art. no.
PG 8597	Twin-tank water softener	6943120	69.8597.01
PG 8090	Single-tank water softener	7012310	67.8090.01

Tables and accessories for pass-through dishwashers



T 625 UR/UL universal tables

- Length 625 mm
- Can be fitted to right or left of dishwasher



T 1200 UR/UL universal tables

- Length 1200 mm
- Can be fitted to right or left of dishwasher



SSV end panel

- For multi-purpose and infeed tables

Backsplash panel

- SSB 625: length 625 mm
- SSB 1200: length 1200 mm

Non-standard table lengths (not illustrated)

- Tables without sink per m
- Backsplash per m
- Sink 500 x 400 x 250 mm

Article	Features	Mat. no.	Art. no.
T 625 UR	Table	5911520	67.0625.01
T 625 UL	Table	5911530	67.0625.02
T 1200 UR	Table	5911560	67.1200.01
T 1200 UL	Table	5911570	67.1200.02
SSV	Panelling	5911630	67.8200.01
SSB 625	Backsplash panel	5911610	67.0625.21
SSB 1200	Backsplash panel	5911620	67.1200.21
Non-standard lengths			
Tables without sink per m		2027060	67.8999.99
Backsplash per m		2027060	67.8999.99
Sink 500 x 400 x 250 mm		2027060	67.8999.99

Tables and accessories for pass-through dishwashers



T 625 BUR/BUL infeed tables

- Length 625 mm
- Sink
- Can be fitted to right or left of dishwasher



T 1200 BUR/BUL infeed tables

- Length 1200 mm
- Sink
- Can be fitted to right or left of dishwasher




Leg adapter

- For pass-through dishwashers and tables
- Set of table feet 50 mm (2 off)
- Set of table feet 100 mm (2 off)
- Set of machine feet 50 mm (4 off)
- Set of machine feet 100 mm (4 off)

Article	Features	Mat. no.	Art. no.
T 625 BUR	Table with sink	5911540	67.0625.11
T 625 BUL	Table with sink	5911550	67.0625.12
T 1200 BUR	Table with sink	5911580	67.1200.11
T 1200 BUL	Table with sink	5911590	67.1200.12
Set of machine feet 100 mm (4 off)		6424260	67.8200.21
Set of machine feet 50 mm (4 off)		6424230	67.8200.20
Set of table feet 100 mm (2 off)		6424300	67.8200.24
Set of table feet 50 mm (2 off)		6424280	67.8200.22

Accessories for pass-through dishwashers



Corner set

- Wall set for corners



AB 50 scraps container

- 50 l volume
- Ø 380 mm



PBMS shower head unit

- For T 625 BUR/BUL infeed table and T 1200 BUR/BUL infeed table
- Mixer-tap set hot/cold
- Boom with shower head, Length 1000 mm
- Pressure valve
- 2 flexible ½" stainless-steel hoses



SAS 500 sink strainer

- Fits into sink
- H 500, W 400, D 250 mm



Afs food scraper

- For fitting on 1200 mm tables

Article	Features	Mat. no.	Art. no.
Corner set		5911690	67.8200.15
AB 50		5911650	67.8200.11
PBMS		5911670	67.8200.13
SAS 500		5911640	67.8200.02
Afs		5911660	67.8200.12

Accessory overview

Accessories	Art. no.	Mat. no.	For use in	For use in dishwasher						
			In upper or lower basket							
				PG 8055	PG 8056	PG 8057 TD	PG 8058	PG 8059	G 8066	PG 8172
Upper and lower baskets, open-fronted basket carriers										
O 891	67.1891.01	9548970	(incl. 1 x E 810)	•	•	•	•	•	-	-
O 892	67.1892.01	9548990	-	•	•	•	•	•	-	-
U 890	67.1890.01	9549130	(empty, for various inserts)	•	•	•	•	•	-	-
U 881	67.1881.02	4906620	-	•	•	•	•	•	-	-
O 899	67.1899.01	9549040	-	•	•	•	•	•	-	-
O 885	67.1885.01	9548960	-	•	•	•	•	•	-	-
U 876	67.1875.01	9549160	-	•	•	•	•	•	-	-
Inserts for upper and lower baskets										
E 816	67.5816.01	9549190	2 x in U 890	•	•	•	•	•	-	-
E 216	67.5216.01	3809080	2 x in U 890	•	•	•	•	•	-	-
E 810	67.5810.01	9549010	O 891	•	•	•	•	•	-	-
E 888	67.5888.01	5018690	U 890	•	•	•	•	•	-	-
E 809	67.5809.01	5018650	U 881	•	•	•	•	•	-	-
E 9	67.5009.01	3808260	2 x in U 890	•	•	•	•	•	-	-
E 165	67.5165.01	3808830	2 x in U 890	•	•	•	•	•	-	-
E 167	67.6167.01	9508730	U 506	•	•	•	•	•	•	•
E 437	67.5437.01	4326640	2 x in O 885, 2 x in U 876	•	•	•	•	•	-	-
E 884	67.5884.01	5018680	U 890	•	•	•	•	•	-	-
E 205	67.5205.01	3808980	2 x in U 890	•	•	•	•	•	-	-
E 459	67.5459.01	4326630	2 x in O 891, 2 x in U 881	•	•	•	•	•	-	-
E 815	67.5815.01	5018670	2 x in U 881	•	•	•	•	•	-	-
E 812	67.5812.01	9742240	2 x in O 892	•	•	•	•	•	-	-
E 166	67.5166.01	3808850	U 890	•	•	•	•	•	-	-
E 10	67.5009.10	9627360	U 890, U 880, U 876	•	•	•	•	•	-	-
E 11	67.5009.15	9752140	O 899	•	•	•	•	•	-	-
500 x 500 mm baskets										
U 502	67.6502.01	9508610	O 885, U 890, U 876	•	•	•	•	•	•	•
U 503	67.6503.01	9508660	O 885, U 890, U 876	•	•	•	•	•	•	•
U 504	67.6504.01	9508670	O 885, U 890, U 876	•	•	•	•	•	•	•
U 505	67.6505.01	9508680	U 890, U 876	•	•	•	•	•	•	•
U 506	67.6506.01	9508640	U 890, U 876	•	•	•	•	•	•	•
U 507	67.6507.01	9508700	U 890, U 876	•	•	•	•	•	•	•
U 508	67.6508.01	9508650	O 885, U 890, U 876	•	•	•	•	•	•	•
U 513	67.6513.01	9508710	O 885, U 890, U 876	-	-	-	-	-	•	•
Glassware baskets 500 x 500 mm										
U 520	67.6520.01	9581370	U 890, U 876	•	•	•	•	•	•	•
U 524	67.6524.01	7005390	U 890, U 876	•	•	•	•	•	•	•
U 525	67.6525.01	7005370	U 890, U 876	•	•	•	•	•	•	•
530 x 500 mm basket										
U 313/2	67.6313.05	9688930		-	-	-	-	-	•	•
Glassware basket sets 500 x 500 mm										
U 534	67.6534.01	6997120	O 885, U 890, U 876	•	•	•	•	•	•	•
U 535	67.6535.01	6984150	O 885, U 890, U 876	•	•	•	•	•	•	•
U 536	67.6536.01	6984090	O 885, U 890, U 876	•	•	•	•	•	•	•
U 537	67.6537.01	6984200	O 885, U 890, U 876	•	•	•	•	•	•	•
U 544	67.6544.01	6984190	O 885, U 890, U 876	•	•	•	•	•	•	•
U 545	67.6545.01	6984170	O 885, U 890, U 876	•	•	•	•	•	•	•
U 546	67.6546.01	6984130	O 885, U 890, U 876	•	•	•	•	•	•	•
U 547	67.6547.01	6984210	O 885, U 890, U 876	•	•	•	•	•	•	•

Accessory overview

Accessories	Art. no.	Mat. no.	For use in dishwasher						
			PG 8055	PG 8056	PG 8057 TD	PG 8058	PG 8059	G 8066	PG 8172
Trim, conversion kits, plinths, dispenser modules									
ABL, stainless steel	67.2114.01	9378030	•	•	•	•	•	-	-
ABL, white	67.2114.02	9378040	•	•	•	•	•	-	-
SBU, brown	67.2115.01	9378050	•	•	•	•	•	-	-
Stand2, stainless steel	67.2116.05	9456060	•	•	•	•	•	-	-
Stand2, white	67.2116.10	9456070	•	•	•	•	•	-	-
Stand 1-80, stainless steel	67.2116.03	9688950	•	•	•	•	•	-	-
Stand 1-80, white	67.2116.04	9688940	•	•	•	•	•	-	-
BKS-80	67.2115.05	9715630	•	•	•	•	•	-	-
ADB coverplate	67.2160.08	9715590	•	•	•	•	•	-	-
BBF-80	67.2115.08	9715690	•	•	•	•	•	-	-
VGf-900	67.5009.07	9742270	•	•	•	•	•	-	-
DEF-80, stainless steel	67.2160.05	9715550	•	•	•	•	•	-	-
DEF-80, white	67.2160.06	9736640	•	•	•	•	•	-	-
UO 30-60/80	67.3761.03	9688890	•	•	•	•	•	•	-
UO 52-60/80	67.3761.07	9688900	•	•	•	•	•	•	-
UG 30-60/80	67.3761.04	9688910	•	•	•	•	•	•	-
UG 52-60/80	67.3761.08	9688920	•	•	•	•	•	•	-
DET-60/1	67.2160.02	6959590	-	-	-	-	-	•	-
Steam protection set	67.2112.01	6651850	-	-	-	-	-	•	-
KTU 530	67.8530.04	9508720	-	-	-	-	-	-	•
Filter combination set	67.2113.01	7172490	-	-	-	-	-	-	-
DOS G 60-80	69.7470.15	9662200	•	•	•	•	•	•	•
DOS G 60/1-80	69.7470.17	9662220	•	•	•	•	•	•	•
Water softener / AquaSoft systems									
PG 8597	69.8597.01	6943120	•	•	•	•	•	•	•
PG 8090	67.8090.01	7012310	•	•	•	•	•	•	•
Tables and table accessories									
T 625 UR	67.0625.01	5911520	-	-	-	-	-	-	•
T 625 UL	67.0625.02	5911530	-	-	-	-	-	-	•
T 1200 UR	67.1200.01	5911560	-	-	-	-	-	-	•
T 1200 UL	67.1200.02	5911570	-	-	-	-	-	-	•
SSV	67.8200.01	5911630	-	-	-	-	-	-	•
SSB 625	67.0625.21	5911610	-	-	-	-	-	-	•
SSB 1200	67.1200.21	5911620	-	-	-	-	-	-	•
T 625 BUR	67.0625.11	5911540	-	-	-	-	-	-	•
T 625 BUL	67.0625.12	5911550	-	-	-	-	-	-	•
T 1200 BUR	67.1200.11	5911580	-	-	-	-	-	-	•
T 1200 BUL	67.1200.12	5911590	-	-	-	-	-	-	•
Corner set	67.8200.15	5911690	-	-	-	-	-	-	•
AB 50	67.8200.11	5911650	-	-	-	-	-	-	•
PBMS	67.8200.13	5911670	-	-	-	-	-	-	•
SAS 500	67.8200.02	5911640	-	-	-	-	-	-	•
Afs	67.8200.12	5911660	-	-	-	-	-	-	•
Non-standard table lengths									
Tables without sink, per m	67.8999.99	2027060	-	-	-	-	-	-	•
Backsplash panels, per m	67.8999.99	2027060	-	-	-	-	-	-	•
Sink 500 x 400 x 250 mm	67.8999.99	2027060	-	-	-	-	-	-	•
Leg adapter for machines and tables D 625 or D 1200									
Set of machine feet 100 mm	67.8200.21	6424260	-	-	-	-	-	-	•
Set of machine feet 50 mm	67.8200.20	6424230	-	-	-	-	-	-	•
Set of table feet 100 mm	67.8200.24	6424300	-	-	-	-	-	-	•
Set of table feet 50 mm	67.8200.22	6424280	-	-	-	-	-	-	•

Miele Company Ltd
Fairacres
Marcham Road
Abingdon
Oxon
OX14 1TW

Tel 0845 365 6608
www.miele-professional.co.uk